



Refer to the **insert** for the list of pseudocode functions and operators.

1 An algorithm is developed in pseudocode before being coded in a programming language.

(a) The following table shows four valid pseudocode assignment statements.

Complete the table by giving an appropriate data type to declare each of the variables A, B, C and D.

| Assignment statement  | Data type |
|-----------------------|-----------|
| A ← LEFT(MyName, 1)   |           |
| B ← Total * 2         |           |
| C ← INT(ItemCost) / 3 |           |
| D ← "Odd OR Even"     |           |

[4]

(b) Other variables in the program have example values as shown:

| Variable | Value     |
|----------|-----------|
| Sorted   | False     |
| Tries    | 9         |
| ID       | "ZGAC001" |

Complete the table by evaluating each expression, using the example values.

| Expression                 | Evaluates to |
|----------------------------|--------------|
| Tries < 10 AND NOT Sorted  |              |
| Tries MOD 4                |              |
| TO_LOWER(MID(ID, 3, 1))    |              |
| LENGTH(ID & "xx") >= Tries |              |

[4]

(c) The variable names A, B, C and D in part (a) are **not** good programming practice.

(i) State why these variable names are **not** suitable.

.....  
..... [1]

(ii) Identify **one** problem that these variable names might cause.

.....  
..... [1]

(iii) The choice of suitable variable names is one example of good programming practice.


Give **one other** example.

.....  
..... [1]

2 An algorithm has three steps. It will:

1. repeatedly input a pair of numeric values  $A$  and  $B$
2. count the number of pairs that are input until  $A$  has been greater than  $B$  10 times
3. output the number of pairs that were input.

(a) Complete the program flowchart.



(b) Step 1 of the algorithm is changed.

A variable `ThisSequence` is used to enter a sequence of 10 pairs of numeric values, using a single input statement.

Following the input of `ThisSequence` the revised algorithm will extract the pairs of numbers.

Describe the variable `ThisSequence` and how the numbers are extracted.

.....


.....

.....

..... [2]

3 The diagram shows an Abstract Data Type (ADT) representation of a linked list after data items have been added.

- PS is the start pointer.
- PF is the free list pointer.
- Labels Df, Dc, Db and Dy represent the data items of nodes in the list.
- Labels Fg, Fh, Fm and Fw represent the data items of nodes in the free list.
- The symbol  $\emptyset$  represents a null pointer.



(a) Describe the linked list immediately after initialisation, before **any** data items are added.

.....

.....

.....

.....

.....

.....

.....

..... [3]

(b) A program will be written to include a linked list to store alphanumeric user IDs.

The design uses two variables and two 1D arrays to implement the linked list. Each array element contains data of a single data type and **not** a record.

The statements below describe the design.

Complete the statements.

The two variables will be of type .....

The two variables will be used as ..... to the arrays.

The values stored in the two variables will indicate .....

.....

The first 1D array will be of type .....

The first 1D array will be used to .....

The second 1D array will be of type .....

The second 1D array will be used to .....

[5]



**BLANK PAGE**

- 5 A global 1D array of strings contains three elements which are assigned values as shown:

```
Data[1] ← "aaaaaa"
Data[2] ← "bbbbbb"
Data[3] ← "cccccc"
```

Procedure `Process()` manipulates the values in the array.

The procedure is written in pseudocode as follows:

```
PROCEDURE Process(Format : STRING)
  DECLARE Count, Index, L : INTEGER
  DECLARE Result : STRING
  DECLARE C : CHAR

  Result ← "*****"

  FOR Count ← 1 TO LENGTH(Format) STEP 2
    C ← MID(Format, Count, 1)
    L ← STR_TO_NUM(MID(Format, Count + 1, 1))

    Index ← (Count + 1) DIV 2


    CASE OF C
      'X' : Result ← TO_UPPER(Data[Index])
      'Y' : Result ← TO_LOWER(Data[Index])
      'Z' : Result ← "***" & Data[Index]
    ENDCASE

    Data[Index] ← LEFT(Result, L)
  NEXT Count

ENDPROCEDURE
```



- 6 Three points on a grid form a triangle with sides of length A, B and C as shown in the example:




A triangle is said to be right-angled if the following test is true (where A is the length of the longest side):

$$A^2 = B^2 + C^2$$

$A^2$  means A multiplied by A, for example  $3^2$  means  $3 \times 3$  which evaluates to 9

You can calculate  $A^2$ ,  $B^2$  and  $C^2$  by using the coordinates of the endpoints of each line.

For example,  $B^2$  is calculated as follows:



The endpoints, P1 and P2, have the coordinates (3, 2) and (6, 6).

The value  $B^2$  is given by the formula:

$$B^2 = (x_1 - x_2)^2 + (y_1 - y_2)^2$$

In this example:

$$B^2 = (3 - 6)^2 + (2 - 6)^2$$

$$B^2 = (-3)^2 + (-4)^2$$

$$B^2 = 9 + 16$$

$$B^2 = 25$$



(b) The test used to check if a triangle is right-angled can be written in two ways:

$$A^2 = B^2 + C^2$$

or

$$A = \sqrt{B^2 + C^2}$$

The symbol  $\sqrt{\quad}$  represents the square root operation. For example,  $\sqrt{81} = 9$

A new function `SQRT()` is written to perform the square root operation. The function takes an integer number as a parameter and returns a positive real value representing the square root of the number.

During testing it is found that the `SQRT()` function returns a value that is only accurate to 4 decimal places.

For example, `SQRT(25)` returns 5.0000125 rather than the correct value of 5.0

The function `ISRA()` from part (a) is modified to use the new `SQRT()` function to test if a triangle is right-angled.

Describe a problem that might occur when using the modified `ISRA()` function **and** suggest a solution that still allows the `SQRT()` function to be used.

Problem .....

.....

Solution .....

.....

[2]



7 A fitness club has a computerised membership system. The fitness club offers a number of different exercise classes.

The following information is stored for each club member: name, home address, email address, mobile phone number, date of birth and the exercise(s) they are interested in.

(a) When an exercise class is planned, a new module will send personalised text messages to each member who has expressed an interest in that exercise. Members wishing to join the class send a text message back. Members may decide **not** to receive future text messages by replying with the message 'STOP'.

The process of abstraction is used to filter out unnecessary information.

(i) State **one** advantage of applying abstraction to this problem.

.....  
..... [1]

(ii) Identify **three** items of information that will be required by the new module. Justify your choices with reference to the given scenario.

Item 1 required .....

Justification .....

.....

Item 2 required .....

Justification .....

.....

Item 3 required .....

Justification .....

.....

[3]

(iii) Identify **two** operations that would be required to process data when the new module receives a text message back from a member.

Operation 1 .....


.....

Operation 2 .....

.....

[2]

(b) The structure chart illustrates part of the membership program:



Data item notes:

- Name contains the name of a club member
- P1 and T1 are of type real.

(i) Explain the meaning of the diamond symbol (labelled with the letter A) in the chart.

.....

.....

.....

..... [2]

(ii) Write the pseudocode module headers for Sub-A and Sub-B.

Sub-A

.....

.....

Sub-B

.....

.....

[4]

8 A teacher is designing a program to process pseudocode projects written by her students.

Each student project is stored in a text file.

The process is split into a number of stages. Each stage performs a different task and creates a new file named as shown:

| File name           | Comment   |
|---------------------|---|
| MichaelAday_src.txt | student project file produced by student Michael Aday |
| MichaelAday_S1.txt  | file produced by stage 1                              |
| MichaelAday_S2.txt  | file produced by stage 2                              |

The teacher has defined the first program module as follows:

| Module           | Description  |
|------------------|--|
| DeleteComment () | <ul style="list-style-type: none"> <li>called with a parameter of type string representing a line of pseudocode from a student's project file</li> <li>returns the line after removing any comments</li> </ul> <p>Note on comments:<br/>A comment starts with two forward slash characters and includes all the remaining characters on the line.</p> <p>The following example shows a string before and after the comment has been removed:</p> <p>Before: IF X2 &gt; 13 THEN //check if limit exceeded<br/>After: IF X2 &gt; 13 THEN</p> |





.....

.....

.....

.....

.....

.....

.....

.....

.....

..... [7]





**BLANK PAGE**

---

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at [www.cambridgeinternational.org](http://www.cambridgeinternational.org) after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.